### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Calvin F. Konzak et al.

Attorney Docket No.: KONC118530

Title:

METHODS FOR GENERATING DOUBLED HAPLOID PLANTS



#### **INFORMATION DISCLOSURE STATEMENT**

Seattle, Washington 98101

#### TO THE COMMISSIONER FOR PATENTS:

Applicants are aware of the information listed in the attached form that may be material to the prosecution of the above-identified patent application.

- 1. X This application relies, under 35 U.S.C. § 120, on the earlier filing date of prior Application No. 09/383,588, filed August 26, 1999. The references listed on the attached form were submitted to and/or cited by the Patent and Trademark Office in this prior application and, therefore, are not required to be provided in this application.
- 2. X This Information Disclosure Statement is being filed concurrently with the above-identified application.

Respectfully submitted,

CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLLC

Barry F. McGurl

Registration No. 43,340

Direct Dial No. 206.695.1775

BFM:jlj

# INFORMATION CITED BY APPLICANTS THAT MAY BE MATERIAL TO THE PROSECUTION OF THE SUBJECT APPLICATION

Applicants: C.F. Konzak et al.

Attorney Docket No. KONC118530

Title:

METHODS FOR GENERATING DOUBLED HAPLOID PLANTS

### **U.S. PATENT DOCUMENTS**

*Examiner		Document			
Initial	ID	No.	Date	Name	<b>=</b>
	U1	5,049,503	09/17/1991	Swanson et al.	
	U2	5,272,072	12/21/1993	Kaneko et al.	
	U3	5,322,789	06/21/1994	Genovesi et al.	
	U4	5,445,961	08/29/1995	Genovesi et al.	
	U5	5,900,375	05/04/1999	Simmonds et al.	

### FOREIGN PATENT DOCUMENTS

None

## OTHER INFORMATION (Including Author, Title, Date, Pertinent Pages, Etc.)

*Examiner Initial	ID	Document Information
	O1	Armstrong, T.A., S.G. Metz and P.N. Mascia, "Two Regeneration Systems for the Production of Haploid Plants from Wheat Anther Culture," <i>Plant Science</i> , Vol. 51, pp. 231-237 (1987).
	O2	Ball, Shane T., HuaPing Zhou and Calvin F. Konzak, "Influence of 2,4-D, IAA, and duration of callus induction in anther cultures of spring wheat," <i>Plant Science</i> , Vol. 90, pp. 195-200 (1993).
	O3	Ball, S.T., H. Zhou, and C.F. Konzak, "Sucrose Concentration and Its Relationship to Anther Culture in Wheat," <i>Crop Science</i> , Vol. 32, pp. 149-154 (1992).
	O4	Bennett, Michael D., and W. Glyn Hughes, "Additional Mitosis in Wheat Pollen induced by Ethrel," <i>Nature</i> , Vol. 240, pp. 566-568 (Dec. 1972).
	O5	Bin, Huang, "Ultrastructural Aspects of Pollen Embryogenesis in <i>Hordeum</i> , <i>Triticum</i> and <i>Paeonia</i> ," in Hu, H. and H.Y. Yang (Eds.) <i>Haploids of Higher Plants in Vitro</i> , China Academic Publishers, Beijing (1986) pp. 91-117.

	_ 06	Chih-ching, Chu, "The N <sub>6</sub> Medium and its Applications to Anther Culture of Cereal Crops," <i>In Proceedings of Symposium on Plant Tissue Culture</i> , Sci. Press, Peking, China, pp. 43-50 (1978).
	_ 07	Chu, C.C. and R.D. Hill, "An improved anther culture method for obtaining higher frequency of pollen embryoids in Triticum aestivum L.," Plant Science, Vol. 55, pp. 175-181 (1988).
	_ O8	Chu, C.C., R.D. Hill and A.L. Brule-Babel, "High Frequency of Pollen Embryoid Formation and Plant Regeneration <i>In Triticum aestivum</i> L. on Monosaccharide Containing Media," <i>Plant Science</i> , Vol. 66, pp. 255-262 (1990).
	_ 09	Dale, Philip J., "Pollen Dimorphism and Anther Culture in Barley," <i>Planta</i> , Vol. 127, pp. 213-220 (1975).
	O10	Darvey, N.L., "Doubled haploid technology: An interactive model for germplasm enhancement," <i>Proceedings of the 9th International Wheat Genetics Symposium, Keynote Addresses and Oral Presentations</i> , Vol. 1, Sect. 5 - Transgenics (August 2-7, 1998).
•	O11	De Buyser, J., P. Touraine, A. Ambroise and E. Picard, "Induction of androgenetic embryos and chlorophyllian plants of <i>Triticum aestivum</i> from isolated microspore culture," <i>Proceedings of the 9th International Wheat Genetics Symposium</i> , <i>Poster Presentations</i> , Vol. 3, Sect. 5 - Transgenics (August 2-7, 1998).
	O12	Devaux, P., "Comparison of Anther Culture and the <i>Hordeum bulbosum</i> Method for the Production of Doubled Haploids in Winter Barley," <i>Plant Breeding</i> , Vol. 100, pp. 181-187 (1988).
	O13	Falconer, Marcia M., and R.W. Seagull, "Amiprophos-methyl (APM): A Rapid, Reversible, Anti-microtuble Agent for Plant Cell Cultures," <i>Protoplasma</i> , Vol. 136, pp. 118-124 (1987).
	O14	Gustafson, Vicki D., P. Stephen Baenziger, Martha S. Wright, Walter W. Stroup and Yang Yen, "Isolated wheat microspore culture," <i>Plant Cell, Tissue and Organ Culture</i> , Vol. 42, pp. 207-213 (1995).
	O15	Heberle-Bors, Erwin, "In vitro pollen embryogenesis in <i>Nicotiana tabacum</i> L. and its relation to pollen sterility, sex balance, and floral induction of the pollen donor plants," <i>Planta</i> , Vol. 156, pp. 396-401 (1982).
		Heberle-Bors, Erwin, "Induction of embryogenic pollen grains in situ and subsequent in vitro pollen embryogenesis in <i>Nicotiana tabacum</i> by treatments of the pollen donor plants with feminizing agents," <i>Physiol. Plant.</i> , Vol. 59, pp. 67-72 (1983).
		Heberle-Bors, Erwin, "On the time of embryogenic pollen grain induction during sexual development of <i>Nicotiana tabacum</i> L. plants," <i>Planta</i> , Vol. 156, pp. 402-406 (1982).
	O18	Heberle-Bors, E., "In vitro haploid formation from pollen: a critical review," <i>Theoretical and Applied Genetics</i> , Vol. 71, pp. 361-374 (1985).

	_ 019	Henry, Y., and J. de Buyser, "Effect of the 1B/1R translocation on anther culture ability in wheat ( <i>Triticum aestivum</i> L.), <i>Plant Cell Reports</i> , Vol. 4, pp. 307-310 (1985).
	O20	http://tdg.uofuelph.ca/CRSC/cereals/culture.htm, "Development of a Functional Microspore Culture System for Barley ( <i>Hordeum vulgare L.</i> ) Cultivars," available at least as early as 1997.
	_ O21	Hu, T.C., A. Ziauddin, E. Simion, and K.J. Kasha, "Isolated Microspore Culture of Wheat ( <i>Triticum aestivum</i> L.) in a Defined Media," <i>In Vitro Cell. Dev. Biol.</i> , Vol. 31, pp. 79-83 (Apr. 1995).
•	O22	Hu, T., and K.J. Kasha, "Improvement of isolated microspore culture of wheat ( <i>Triticum aestivum</i> L.) through ovary co-culture," <i>Plant Cell Reports</i> , Vol. 16, pp. 520-525 (1997).
	O23	Hu, T.C., A. Ziauddin, E. Simion, and K.J. Kasha, "Isolated Microspore Culture of Wheat ( <i>Triticum aestivum</i> L.) in a Defined Media," <i>In Vitro Cell. Dev. Biol.</i> , Vol. 31, pp. 79-83 (Apr. 1995).
	O24	Jähne, Alwine, and Horst Lörz, "Cereal microspore culture," <i>Plant Science</i> , Vol. 109, pp. 1-12 (1995).
	O25	Junwen, Ouyang, "Induction of Pollen Plants in <i>Triticum aestivum</i> ," in Hu, H. and H.Y. Yang (Eds.) <i>Haploids of Higher Plants in Vitro</i> , China Academic Publishers, Beijing (1986) pp. 26-41.
	O26	Kasha, K.J., T.C. Hu, E. Simion and R. Oro, "Cytological development of wheat microspores in culture," <i>Proceedings of the 9th International Wheat Genetics Symposium</i> , Keynote Addresses and Oral Presentations, Vol. 1, Sect. 5 - Transgenics (August 2-7 1998).
	O27	Kasha, K.J., A. Ziauddin and UH. Cho, "Haploids in Cereal Improvement: Anther and Microspore Culture," <i>Gene Manipulation in Plant Improvement II</i> , Crop Science Dept., Univ. of Guelph, Ontario, Canada, pp. 213-230 (1990)
	O28	Köhler, F., and G. Wenzel, "Regeneration of Isolated Barley Microspores in Conditioned Media and Trials to Characterize the Responsible Factor," <i>J. Plant Physiol.</i> , Vol. 121, pp. 181-191 (1985).
	O29	Kyo, M., and H. Harada, "Control of the developmental pathway of tobacco pollen in vitro," <i>Planta</i> , Vol. 168, pp. 427-432 (1986).
	O30	Mejza, Stephen J., Vincent Morgant, Denise E. DiBona, and James R. Wong, "Plant regeneration from isolated microspores of <i>Triticum aestivum</i> ," <i>Plant Cell Reports</i> , Vol. 12, pp. 149-153 (1993).
	O31	Morejohn, L.C., T.E. Bureau, J. Mole-Bajer, A.S. Bajer and D.E. Fosket, "Oryzalin, a dinitroaniline herbicide, binds to plant tubulin and inhibits microtubule polymerization in vitro," <i>Planta</i> , Vol. 172, pp. 252-264 (1987).
	O32	Picard, E., C. Hours, S. Grégoire, T.H. Phan and J.P. Meunier, "Significant improvement of androgenetic haploid and doubled haploid induction from wheat plants treated with a chemical hybridization agent," <i>Theoretical and Applied Genetics</i> , Vol. 74, pp. 289-297 (1987).
		•

Examiner		Date Considered
		Zhou, H., Y. Zheng and C.F. Konzak, "Osmotic potential of media affecting green plant percentage in wheat anther culture," <i>Plant Cell Reports</i> , Vol. 10, pp. 63-66 (1991).
		Zhou, Huaping, and Calvin F. Konzak, "Genetic control of green plant regeneration from anther culture of wheat," <i>Genome</i> , Vol. 35, pp. 957-961 (Dec. 1992).  Zhou, H., Y. Zheng, and C.E. Konzak, "Osmotic potential of modic accounts of the control of green plant regeneration from anther culture of wheat," <i>Genome</i> , Vol. 35, pp. 957-961 (Dec. 1992).
		Zhou, Huaping, and C.F. Konzak, "Improvement of Anther Culture Methods for Haploid Production in Wheat," <i>Crop Sci.</i> , Vol. 29, pp. 817-821 (1989).
	O40	Zheng, Y. "The effect of 2,4-D in Pre-culture Media Before the Isolation of Microspores for In-Vitro Culture," Chapter 4 of Ph.D. Thesis, Washington State University (1994).
	O39	Xie, Jiahua, Mingwei Gao, Qihua Cai, Xiongying Cheng, Yuwei Shen and Zhuqing Liang, "Improved isolated microspore culture efficiency in medium with maltose and optimized growth regulator combination in japonica rice (Oryza sativa), Plant Cell, Tissue and Organ Culture, Vol. 42, pp. 245-250 (1995).
		Vaughn K.C. and L.P. Lehnen, Jr. "Mitotic Disrupter Herbicides, " Weed Science, 39:450-457, 1991.
		Tuvesson, Inger Kirstine Due, and Rebecka Charlotte Viktoria Öhlund, "Plant regeneration through culture of isolated microspores of <i>Triticum aestivum</i> L.," <i>Plant Cell, Tissue and Organ Culture</i> , Vol. 34, pp. 163-167 (1993).
		Touraev, A., A. Indrianto, I. Wratschko, O. Vicente, E. Heberle-Bors, "Efficient microspore embryogenesis in wheat ( <i>Triticum aestivum</i> L.) induced by starvation at high temperature," <i>Sex Plant Reprod.</i> , Vol. 9, pp. 209-215 (1996).
		Touraev, Alisher, Andi Ilham, Oscar Vicente, and Erwin Heberle-Bors, "Stress-induced microspore embryogenesis in tobacco: an optimized system for molecular studies," <i>Plant Cell Reports</i> , Vol. 15, pp. 561-565 (1996).
		Reynolds, Thomas L., and Rebecca L. Crawford, "Changes in abundance of an abscisic acid-responsive, early cysteine-labeled metallothionein transcript during pollen embryogenesis in bread wheat ( <i>Triticum aestivum</i> ), <i>Plant Molecular Biology</i> , Vol. 32, pp. 823-829 (1996).
		Puolimatka, Matti, Sisko Laine and Janos Pauk, "Effect of ovary co-cultivation and culture medium on embryogenesis of directly isolated microspores of wheat," Cereal Research Communications, Vol. 24:No. 4, pp. 393-400 (1996).

<sup>\*</sup>Examiner: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. § 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.